Author Index

ADDY, H. D., MILLER, M. H. & PETERSON, R. L., Infectivity of the propagules associated with extraradical mycelia of two AM fungi following winter freezing, 745
ALLEN, S. J. (see MCGEE, P. A.), 773
ALSTON, A. M. (see NADIAN, H.), 303
ALVIM, P. D. T. (see MIYAJI, K.-I.), 445
ANDERSSON, S., EK, H. & SÖDERSTRÖM, B., Effects of liming on the uptake of organic and inorganic nitrogen by mycorrhizal (*Paxillus involutus*) and non-mycorrhizal *Pinus sylvestris* plants, 763
ANDRIEU, V. (see REILLE, M.), 547
ARONNE, G. (see GUCCI, R), 227
ARROO, R. R. J., JACOBS, J. J. M. R., VAN GESTEL, J. A. M., KENKEL, H., JANNINK, W., CROES, A. F. & WULLEMS, G. J., Regulation of thiophene biosynthesis by sulphate in roots of marigolds, 175
ASHENDEN, T. W. (see FOOT, J. P.), 369
ATTRIDGE, E. M. & ROWELL, P., Growth, heterocyst differentiation and nitrogenase activity in the cyanobacteria *Anabaena variabilis* and *Anabaena cylindrica* in response to molybdenum and vanadium, 517
AUGÉ, R. M. (see EBEL, R. C.), 755
BAGNI, N. (see TORRIGIANI, P.), 467
BAILEY, D. J. (see GILLIGAN, C. A.), 475
BAKER, A. J. M. (see POLLARD, A. J.), 655
BAKKEN, A. K., MACDUFF, J., HUMPHREYS, M. & RAISTRICK, N., A *stay-green* mutation of *Lolium perenne* affects NO_3^- uptake and translocation of N during prolonged N starvation, 41
BALDANI, J. 7. (see OLIVARES, F. L.), 723
BARTELS, M. (see SCHMIDT, W.), 659
BAYMAN, P., LEBRÓN, L L., TREMBLAY, R. L. & LODGE, D. J., Variation in endophytic fungi from roots and leaves of *Lepanthes* (Orchidaceae), 143
BENGOUGH, A. G. (see YOUNG, I. M.), 613
BERNIER, G. (see PÉRILLEUX, C.), 59
BERNTSON, G. M., Topological scaling and plant root system architecture: developmental and functional hierarchies, 621
BETTI, L. (see TORRIGIANI, P.), 467
BONFANTE, P. (see PEROTTO, S.), 151
BONNETT, G. D. (see ST. JOHN, J. A.), 235, 249
BORTOLOTTI, C. (see TORRIGIANI, P.), 467
BURKE, R. M. & CAIRNEY, J. W. G, Purification and characterization of a β-1,4-endoxylanase from the ericoid mycorrhizal fungus *Hymenoscyphus ericae*, 345
CAIRNEY, J. W. G (see BURKE, R. M.), 345
CANOVA, A. (see TORRIGIANI, P.), 467
CAPORN, S. J. M. (see WHITEHEAD, S. J.), 201
——, (see FOOT, J. P.), 369
CARPENTER, T. A. (see PEARCE, R. B.), 675
CHASELOW, S. D. (see VAN VUUREN, M. M. I.), 455
CHOPIN, T., LEHMAL, H. & HALCROW, K., Polyphosphates in the red macroalga *Chondrus crispus* (Rhodophyceae), 587
CLABBY, G & OSBORNE, B. A., Irradiance and nitrate-dependent variation in growth and biomass allocation of *Mycelis muralis*. An analysis of its significance for a functional categorization of 'sun' and 'shade' plants, 539
COISSON, J. D. (see PEROTTO, S.), 151
COMETTI, V. (see PEROTTO, S.), 151
CONROY, J. (see YOUNG, I. M.), 613
CORNELISSEN, J. H. C. & THOMPSON, K., Functional leaf attributes predict litter decomposition rate in herbaceous plants, 109
——, (see HUNT, R.), 395
CROES, A. F. (see ARROO, R. R. J.), 175
DANIELSSON, H. (see PLEIJEL, H.), 361
DA SILVA, W. S. (see MIYAJI, K.-I.), 445
DE BEAULIEU, J.-L. (see REILLE, M.), 547
DE KOK, L. J. (see VAN DER KOOIJ, T. A. W.), 101
DIXON, K. W. (see HUTTON, B. J.), 739
DÖBEREINER, J. (see OLIVARES, F. L.), 723
DREYER, E. (see RIDOLFI, M.), 31
DUAN, X. (see EBEL, R. C.), 755
DUIJFF, B. J., GIANINAZZI-PEARSON, V. & LEMANCEAU, P., Involvement of the outer membrane lipopolysaccharides in the endophytic colonization of tomato roots by biocontrol *Pseudomonas fluorescens* strain WCS417r, 325
DUMAS-GAUDOT, E. (see SAMRA, A.), 71
DUNCAN, L. W. (see GRAHAM, J. H.), 335
EBEL, R. C., DUAN, X., STILL, D. W. & AUGÉ, R. M., Xylem sap abscisic acid concentration and stomatal conducatance of mycorrhizal *Vigna unguiculata* in drying soil, 755
EHLERINGER, J. R. (see SANDQUIST, D. R.), 635
EISSENSTAT, D. M. (see GRAHAM, J. H.), 335
EK, H., The influence of nitrogen fertilization on the carbon economy of *Paxillus involutus* in ectomycorrhizal association with *Betula pendula*, 133
——, (see ANDERSSON, S.), 763
EVANS, R. L. (see HOWE, R.), 123
FARQUHAR, M. L. (see UETAKE, Y.), 701
FISHER, B. J. (see PEARCE, R. B.), 675
FITTER, A. H. (see VAN VUUREN, M. M. I.), 455
FOOT, J. P., CAPORN, S. J. M., LEE, J. A. & ASHENDEN, T. W., Evidence that ozone exposure increases the susceptibility of plants to natural frosting episodes, 369
FRANCIS, D. (see MOSES, L.), 51
FREHNER, M. (see MARX, S. P.), 267, 279
FRIESS, N. & MAILLET, J., Influence of cucumber mosaic virus infection on the competitive ability and reproduction of chickweek (*Stellaria media*), 667
FÜHNER, C. (see SCHMIDT, W.), 659
GAMISANS, J. (see REILLE, M.), 547
GIANINAZZI, S. (see SAMRA, A.), 71
GIANINAZZI-PEARSON, V. (see DUIJFF, B. J.), 325
GILLIGAN, C. A. & BAILEY, D. J., Components of pathozone behaviour, 475
GOLDSMITH, S. (see GRIES, C.), 595
GRAHAM, J. H., DUNCAN, L. W. & EISSENSTAT, D. M., Carbohydrate allocation patterns in citrus genotypes as affected by phosphorus nutrition, mycorrhizal colonization and mycorrhizal dependency, 335
——, (see JOHNSON, N. C.), 575
GRIES, C., SANZ, M.-J., ROMAGNI, J. G., GOLDSMITH, S., KUHN, U., KESSELMEIER, J. & NASH, T. H., The uptake of gaseous sulphur dioxide by non-gelatinous lichens, 595
GUCCI, R, ARONNE, G., LOMBARDINI, L. & TATTINI, M., Salinity tolerance in *Phillyrea* species, 227
GUISSET, J.-L. (see VANDEN DRIESSCHE, T.), 1
HALCROW, K. (see CHOPIN, T.), 587
HALL, L. D. (see PEARCE, R. B.), 675
HALLORAN, G. M. (see ROGERS, M. E.), 645
HALPERIN, S. J., KOCHIAN, L. V. & LYNCH, J. P., Salinity stress inhibits calcium loading into the xylem of excised barley (*Hordeum vulgare*) roots, 419
HANEKLAUS, S. (see VAN DER KOOIJ, T. A. W.), 101
HEATH, M. C., NIMCHUK, Z. L. & XU, H., Plant nuclear migrations as indicators of critical interactions between resistant or susceptible cowpea epidermal cells and invasion hyphae of the cowpea rust fungus, 689
HEATH, R. A. (see MCGEE, P. A.), 773
HOWE, R., EVANS, R. L. & KETTERIDGE, S. W., Copper-binding proteins in ectomycorrhizal fungi, 123
HUMPHREYS, M. (see BAKKEN, A. K.), 41
HUNT, R. & CORNELISSEN, J. H. C., Components of relative growth rate and their interrelations in 59 temperate plant species, 395
HUTTON, B. J., DIXON, K. W., SIVASITHAMPARAM, K. & PATE, J. S., Effect of habitat disturbance on inoculum potential of ericoid endophytes of Western Australian heaths (Epacridaceae), 739
HUTTUNEN, S. (see TURUNEN, M.), 501

IDSO, S. B. (see PEÑUELAS, J.), 439

IGLESIAS-RODRIGUEZ, M. D. & MERRETT, M. J., Dissolved inorganic carbon utilization and the development of extracellular carbonic anhydrase by the marine diatom *Phaeodactylum tricornutum*, 163

IMPENS, I. (see NIJS, I.), 81

JACOBS, J. J. M. R. (see ARROO, R. R. J.), 175

JÄGER, H.-J. (see SCHENK, U.), 67

JAMES, E. K. (see OLIVARES, F. L.), 723

JANNINK, W. (see ARROO, R. R. J.), 175

JOHNSON, N. C., GRAHAM, J. H. & SMITH, F. A., Functioning of mycorrhizal associations along the mutualism–parasitism continuum, 575

JONER, E. J. & LEYVAL, C., Uptake of ^{109}Cd by roots and hyphae of a *Glomus mosseae*/*Trifolium subterraneum* mycorrhiza from soil amended with high and low concentrations of cadmium, 353

KELLY, C. K., Seed mass, habitat conditions and taxonomic relatedness: a re-analysis of Salisbury (1974), 169

KENKEL, H. (see ARROO, R. R. J.), 175

KESSELMEIER, J. (see GRIES, C.), 595

KETTERIDGE, S. W. (see HOWE, R.), 123

KIMBALL, B. A. (see PEÑUELAS, J.), 439

KIRK, G. J. D. & VAN DU, L., Changes in rice root architecture, porosity, and oxygen and proton release under phosphorus deficiency, 191

KOCHIAN, L. V. (see HALPERIN, S. J.), 419

KÖHL, K., The effect of NaCl on growth, dry matter allocation and ion uptake in salt marsh and inland populations of *Armeria maritima*, 213

KRUGE, M. A. (see STANKIEWICZ, B. A.), 375

KUHN, U. (see GRIES, C.), 595

LAMPPU, J. (see TURUNEN, M.), 501

LANGRIDGE, P. (see MURPHY, P. J.), 291

LAPOINTE, L. & MOLARD, J., Costs and benefits of mycorrhizal infection in a spring ephemeral, *Erythronium americanum*, 491

LEBRÓN, L L. (see BAYMAN, P.), 143

LEE, J. A. (see FOOT, J. P.), 369

LEHMAL, H. (see CHOPIN, T.), 587

LEMANCEAU, P. (see DUIJFF, B. J.), 325

LEVY, G. (see TRIBOULOT, M.-B.), 183

LEYVAL, C. (see JONER, E. J.), 353

LODGE, D. J. (see BAYMAN, P.), 143

LO GULLO, M. A. (see SALLEO, S.), 603

LOMBARDINI, L. (see GUCCI, R), 227

LYNCH, J. P. (see HALPERIN, S. J.), 419

MACDUFF, J. (see BAKKEN, A. K.), 41

MCGEE, P. A., PATTINSON, G. S., HEATH, R. A., NEWMAN, C. A. & ALLEN, S. J., Survival of propagules of arbuscular mycorrhizal fungi in soils in eastern Australia used to grow cotton, 773

MCLAUGHLIN, C. K. (see TURUNEN, M.), 501

MAILLET, J. (see FRIESS, N.), 667

MARANI, F. (see TORRIGIANI, P.), 467

MARX, S. P., NÖSBERGER, J. & FREHNER, M., Seasonal variation of fructan-β-fructosidase (FEH) activity and characterization of a β-(2,1)-linkage specific FEH from tubers of Jerusalem artichoke (*Helianthus tuberosus*), 267

——, NÖSBERGER, J., FREHNER, M., Hydrolysis of fructan in grasses: a β-(2,6)-linkage specific fructan-β-fructosidase from stubble of *Lolium perenne*, 279

MASTALERZ, M. (see STANKIEWICZ, B. A.), 375

MERRETT, M. J. (see IGLESIAS-RODRIGUEZ, M. D.), 163

MILLER, M. H. (see ADDY, H. D.), 745

MIYAJI, K.-I., DA SILVA, W. S. & ALVIM, P. D. T., Longevity of leaves of a tropical tree, *Theobroma cacao*, grown under shading, in relation to position within the canopy and time of emergence, 445

MOLARD, J. (see LAPOINTE, L.), 491

MONTAGU, K. (see YOUNG, I. M.), 613

MOSES, L., OUGHAM, H. J. & FRANCIS, D., The effect of the *slow-to-green* mutation on cell division during leaf initiation and early leaf growth in *Lolium temulentum*, 51

MURPHY, P. J., LANGRIDGE, P. & SMITH, S. E., Cloning plant genes differentially expressed during colonization of roots of *Hordium vulgare* by the vesicular–arbuscular mycorrhizal fungus *Glomus intraradices*, 291

MURRAY, R. S. (see NADIAN, H.), 303

NADIAN, H., SMITH, S. E., ALSTON, A. M. & MURRAY, R. S., Effects of soil compaction on plant growth, phosphorus uptake and morphological characteristics of vesicular–arbuscular mycorrhizal colonization of *Trifolium subterraneum*, 303

NAGY, L. & PROCTOR, J., Soil Mg and Ni as causal factors of plant occurrence and distribution at the Meikle Kilrannoch ultramafic site in Scotland, 561

NARDINI, A. (see SALLEO, S.), 603

NASH, T. H. (see GRIES, C.), 595

NEWMAN, C. A. (see MCGEE, P. A.), 773

NICOLAS, M. E. (see ROGERS, M. E.), 645

NIJS, I. & IMPENS, I., An analysis of the balance between root and shoot activity in *Lolium perenne* cv. Melvina. Effects of CO_2 concentration and air temperature, 81

NIMCHUK, Z. L. (see HEATH, M. C.), 689

NOBEL, P. S. (see NORTH, G.), 21

NOBLE, C. L. (see ROGERS, M. E.), 645

NORTH, G. & NOBEL, P. S., Root–soil contact for the desert succulent *Agave deserti* in wet and drying soil, 21

NÖSBERGER, J. (see MARX, S. P.), 267, 279

OLIVARES, F. L., JAMES, E. K., BALDANI, J. 7. & DÖBEREINER, J., Infection of mottled stripe disease-susceptible and resistant sugar cane varieties by the endophytic diazotroph *Herbaspirillum*, 723

OSBORNE, B. A. (see CLABBY, G), 539

OUGHAM, H. J. (see MOSES, L.), 51

PATE, J. S. (see HUTTON, B. J.), 739

PATTINSON, G. S. (see MCGEE, P. A.), 773

PEARCE, R. B., FISHER, B. J., CARPENTER, T. A. & HALL, L. D., Water distribution in fungal lesions in the wood of sycamore, *Acer pseudoplatanus*, determined gravimetrically and using nuclear magnetic resonance imaging, 675

PEÑUELAS, J., IDSO, S. B., RIBAS, A. & KIMBALL, B. A., Effects of long-term atmospheric CO_2 enrichment on the mineral concentration of *Citrus aurantium* leaves, 439

PERCY, K. E. (see TURUNEN, M.), 501

PÉRILLEUX, C. & BERNIER, G., Leaf carboydrate status in *Lolium temulentum* during the induction of flowering, 59

PEROTTO, S., COISSON, J. D., PERUGINI, I., COMETTI, V. & BONFANTE, P., Production of pectin-degrading enzymes by ericoid mycorrhizal fungi, 151

PERUGINI, I. (see PEROTTO, S.), 151

PETERS, B. A. M. (see VAN DER PUTTEN, W. H.), 527

PETERSON, R. L. (see UETAKE, Y.), 701

——, (see ADDY, H. D.), 745

PETIAU-DE VRIES, G. M. (see VANDEN DRIESSCHE, T.), 1

PLEIJEL, H. & DANIELSSON, H., Growth of 27 herbs and grasses in relation to ozone exposure and plant strategy, 361

POLLARD, A. J. & BAKER, A. J. M., Deterrence of herbivory by zinc hyperaccumulation in *Thlaspi caerulescens* (Brassicaceae), 655

POLLOCK, C. J. (see WALKER, R. P.), 259

POOT, P. & VAN DEN BROEK, T., A comparison of the vegetative growth of male-sterile and hermaphroditic lines of *Plantago lanceolata* in relation to N supply, 429

PRESS, M. C. (see WHITEHEAD, S. J.), 201

PRITCHARD, J. (see TRIBOULOT, M.-B.), 183

PROCTOR, J. (see NAGY, L.), 561

RABITI, A. L. (see TORRIGIANI, P.), 467

RAISTRICK, N. (see BAKKEN, A. K.), 41

RAVEN, J. A. (see VAN VUUREN, M. M. I.), 455

REILLE, M., GAMISANS, J., DE BEAULIEU, J.-L. & ANDRIEU, V., The late-glacial at Lac de Creno (Corsica, France): a key site in the western Mediterranean basin, 547

RIBAS, A. (see PEÑUELAS, J.), 439

RIDOLFI, M. & DREYER, E., Responses to water stress in an ABA-unresponsive hybrid poplar (*Populus koreana* × *trichocarpa* cv. Peace). III. Consequences for photosynthetic carbon assimilation, 31

ROBINSON, D. (see VAN VUUREN, M. M. I.), 455

ROGERS, M. E., NOBLE, C. L., HALLORAN, G. M. & NICOLAS, M. E., Selecting for salt tolerance in white clover (*Trifolium repens*): chloride ion exclusion and its heritability, 645

ROMAGNI, J. G. (see GRIES, C.), 595

ROWELL, P. (see ATTRIDGE, E. M.), 517

SADOWSKA, A. (see STANKIEWICZ, B. A.), 375

ST. JOHN, J. A., BONNETT, G. D., SIMPSON, R. J. & TANNER, G.

J., A fructan:fructan fructosyltransferase activity from *Lolium rigidum*, 235
——, Sims, I. M., Bonnett, G. D., Simpson, R. J., Identification of products formed by a fructan:fructan fructosyltransferase activity from *Lolium rigidum*, 249
Salleo, S., Nardini, A. & Lo Gullo, M. A., Is sclerophylly of Mediterranean evergreens an adaptation to drought?, 603
Samra, A., Dumas-Gaudot, E. & Gianinazzi, S., Detection of symbiosis-related polypeptides during the early stages of the establishment of arbuscular mycorrhiza between *Glomus mosseae* and *Pisum sativum* roots, 71
Sandquist, D. R. & Ehleringer, J. R., Intraspecific variation of leaf pubescence and drought response in *Encelia farinosa* associated with contrasting desert environments, 635
Sanz, M.-J. (see Gries, C.), 595
Schenk, U., Jäger, H.-J. & Weigel, H.-J., The response of perennial ryegrass/white clover swards to elevated atmospheric CO_2 concentrations. 1. Effects on competition and species composition and interaction with N supply, 67
Schmidt, W., Bartels, M., Tittel, J. & Führer, C., Physiological effects of copper on iron acquisition processes in *Plantago*, 659
Schnug, E. (see van der Kooij, T. A. W.), 101
Sen, R. (see Timonen, S.), 313
Simpson, R. J. (see St. John, J. A.), 235, 249
Sims, I. M. (see St. John, J. A.), 249
Sivasithamparam, K. (see Hutton, B. J.), 739
Smith, F. A. (see Johnson, N. C.), 575
Smith, S. E. (see Murphy, P. J.), 291
——, (see Nadian, H.), 303
Söderström, B. (see Andersson, S.), 763
Stankiewicz, B. A., Mastalerz, M., Kruge, M. A., van Bergen, P. F. & Sadowska, A., A comparative study of modern and fossil cone scales and seeds of conifers: a geochemical approach, 375
Still, D. W. (see Ebel, R. C.), 755
Tammi, H. (see Timonen, S.), 313
Tanner, G. J. (see St. John, J. A.), 235
Tattini, M. (see Gucci, R), 227
Thompson, K. (see Cornelissen, J. H. C.), 109
Timonen, S., Tammi, H. & Sen, R., Characterization of the host genotype and fungal diversity in Scots pine ectomycorrhiza from natural humus microcosms using isozyme and PCR-RFLP analyses, 313
Tittel, J. (see Schmidt, W.), 659
Tonneijck, A. E. G. & van Dijk, C. J., Effects of ambient ozone on injury and yield of *Phaseolus vulgaris* at four rural sites in the Netherlands as assessed by using ethylenediurea (EDU), 93
Torrigiani, P., Rabiti, A. L., Bortolotti, C., Betti, L., Marani, F., Canova, A. & Bagni, N., Polymamine synthesis and accumulation in the hypersensitive response to TMV in *Nicotiana tabacum*, 467
Tremblay, R. L. (see Bayman, P.), 143
Triboulot, M.-B., Pritchard, J. & Levy, G., Effects of potassium deficiency on cell water relations and elongation of tap and lateral roots of maritime pine seedlings, 183
Turunen, M., Huttunen, S., Percy, K. E., McLaughlin, C. K. & Lamppu, J., Epicuticular wax of subarctic Scots pine needles: response to sulphur and heavy metal deposition, 501
Uetake, Y., Farquhar, M. L. & Peterson, R. L., Changes in microtubule arrays in symbiotic orchid protocorms during fungal colonization and senescence, 701
van Bergen, P. F. (see Stankiewicz, B. A.), 375
van den Berg, M. S. (see van der Putten, W. H.), 527
van den Broek, T. (see Poot, P.), 429
Vanden Driessche, T., Petiau-de Vries, G. M. & Guisset, J.-L., Tansley Review No. 91. Differentiation, growth and morphogenesis: *Acetabularia* as a model system, 1
van der Kooij, T. A. W., de Kok, L. J., Haneklaus, S. & Schnug, E., Uptake and metabolism of sulphur dioxide by *Arabidopsis thaliana*, 101
van der Putten, W. H., Peters, B. A. M. & van den Berg, M. S., Effects of litter on substrate conditions and growth of emergent macrophytes, 527
van Dijk, C. J. (see Tonneijck, A. E. G.), 93
van Du, L. (see Kirk, G. J. D.), 191
van Gestel, J. A. M. (see Arroo, R. R. J.), 175
van Vuuren, M. M. I., Robinson, D., Fitter, A. H., Chaselow, S. D., Williamson, L. & Raven, J. A., Effects of elevated atmospheric CO_2 and soil water availability on root biomass, root length, and N, P and K uptake by wheat, 455
Walker, R. P., Winters, A. L. & Pollock, C. J., Purification and characterization of invertases from leaves of *Lolium temulentum*, 259
Weigel, H.-J. (see Schenk, U.), 67
Wellburn, A. R., Environmental factors and genotypic changes in lipids contribute to the winter hardiness of Norway spruce (*Picea abies*), 115
Whitehead, S. J., Caporn, S. J. M. & Press, M. C., Effects of elevated CO_2, nitrogen and phosphorus on the growth and photosynthesis of two upland perennials: *Calluna vulgaris* and *Pteridium aquilinum*, 201
Williamson, L. (see van Vuuren, M. M. I.), 455
Winters, A. L. (see Walker, R. P.), 259
Wullems, G. J. (see Arroo, R. R. J.), 175
Xu, H. (see Heath, M. C.), 689
Young, I. M., Montagu, K., Conroy, J. & Bengough, A. G., Mechanical impedance of root growth directly reduces leaf elongation rates of cereals, 613

Subject Index

ABA, 31
Abscisic acid, 755
Abuscular mycorrhizas (AM), 745
Acclimation, 439, 539
Acer pseudoplatanus (sycamore), 675
Acetabularia, 1
Acid invertase, 259
Adaptation to drought, 603
Additional polypeptides, 711
Air temperature, 81
Alkaline invertase, 259
Allometry, 621
AM fungi, 773
Ammonium, 133, 763
Anabaena cylindrica PCC 7122, 517
Anabaena variabilis ATCC 29413, 517
Anaerobe decomposition, 527
Antimicrobial defence, 675
Apoplast cavitation, 603
Apoptosis, 689
Arabidopsis thaliana, 101
Arbuscular mycorrhiza, 353, 491
Arbuscular mycorrhizal symbiosis, 711
Arbuscule, 303
Architecture, 621
Arginine and ornithine decarboxylases, 467
Armeria maritima ecotypes, 213
ATPases, 291
Balanced activity, 81
β-fructofuranosidase (invertase; EC.3.2.1.26), 279
Bioassay, 773
Biomass, 361
Biomass allocation, 539
Biotrophy, 689
$CaCO_3$, 763
Cadmium, 353
Calcium, 419
Calluna vulgaris (L.) Hull., 201, 369
Canopy irradiance, 445
Carbohydrates, 59
Carbon allocation, 491
Carbon dioxide, 439
Carbonic anhydrase, 163
Cations, 109
Cation–anion balance, 191
Cell division, 51
Cell-wall properties, 183
Cereals, 613
Chemosystematics, 375
Chloride exclusion, 645
Chondrus crispus, 587
Circadian rhythms, 1
Citrus aurantium, 439
Clay soil, 773
CO_2, 163
CO_2 concentration, 81
CO_2 enrichment, 67
Colonization, 291
Compaction, 303
Comparative ecology, 169
Compatible solutes, 213
Competition, 667
Confocal microscopy, 701
Conifers, 115, 375
Copper, 659
Copper tolerance, 123
Cost–benefit analysis, 575
Cowpea, 755
Cucumber mosaic virus (CMV), 667
Cuticle, 501
Defence, 655
Desaturation, 115
Desert, 635
Development, 267
Differentiation, 1
Digalactosyl diglyceride, 115
Dissolved inorganic carbon, 163
Disturbance, 739, 745
Drought, 31, 755
Drought response, 635
Ectomycorrhiza, 123, 133, 313, 763
Elevated CO_2, 201, 455
Elongation, 115
Encelia farinosa (brittlebush), 635
Endophyte, 143
Endophytic bacteria, 723
Endophytic root colonization, 325
Energy balance, 635
Epacridaceae, 739
Epicuticular wax, 501
Epidemiology, 475
Ericoid fungi, 151
Ericoid mycorrhiza, 345, 739
Erythronium americanum (trout lily), 491
Ethylenediurea (EDU), 93
Evolutionary comparative methods, 169
Extraradical hyphae, 353
Extraradical mycelium, 745
Fitness, 575
Flowering (induction), 59
Fractal geometry, 621
Frost injury, 369
Fructan hydrolysis, 267, 279
Fructan structure, 249
Fructan synthesis, 235, 249
Fructan-β-fructosidase (1-FEH; EC 3.2.1.80), 267
Fructan-β-fructosidase (6-FEH; EC 3.2.1.80), 279
Fructan:fructan fructosyltransferase, 235, 249
Fungal fatty acids, 335
Gas transport, 191
Gene expression, 291
Glomus intraradices, 335
Grasses, 361
Growth analysis, 429
Growth rate, 109, 539
Gynodioecy, 429
Halophyte, 213
HCO_3^- transport, 163
Heavy metal toxicity, 659
Heavy metals, 353
Helianthus tuberosus (Jerusalem artichoke), 267
Herbaspirillum rubrisubalbicans, 723
Herbaspirillum seropedicae, 723
Herbivory, 655
Herbs, 361
Heritability, 645
Heterocyst differentiation, 517
Hordeum ulgare, 419
Hormones, 1
Host identification, 313
Hydraulic conductivity, 21
Hyerpersensitive reaction, 467
Hymenoscyphus ericae, 151, 345
Hyperaccumulation, 655
Hypersensitjve response, 689
Hyphal senescence, 701
Hyphal transport, 353
Immunolabelling, 701
Infection dynamics, 475
Injury, 93
Invertase, 235
Iron nutrition, 659
Isozyme, 313
1,1-Kestotetraose, 267

6-6-Kestotetraose, 279
Lac de Creno (Corsica), 547
Laccaria laccata, 123
Late-glacial, 547
Leaf area ratio, 395
Leaf attributes, 109
Leaf blade, 59
Leaf development, 51
Leaf elongation, 613
Leaf exudate, 59
Leaf longevity, 445
Leaf mineral concentration, 439
Leaf position, 445
Leaf pubescence, 635
Leaf weight fraction, 395
Lichens, 595
Ligno-cellulose, 375
Litter decomposition, 109
Littoral vegetation, 527
Lolium perenne L. (perennial ryegrass), 41, 67, 81, 279
Lolium rigidum, 235, 249
Lolium temulentum, 51, 59, 259
Low temperature, 115
Lycopersicon esculentum (tomato), 325
Magnesium, 561
Male sterility, 429
Metallothionein, 123
Microcosm, 313
Microtubules, 701
Mining, 739
Mitotic cell area, 51
Modelling, 475
Molybdenum and vanadium effects, 517
Mutant, 51
Mutualism, 575
Mycelis muralis, 539
Mycorrhiza, 143
Mycorrhizal functioning, 575
Mycorrhizal growth response, 303
^{15}N, 133
N starvation, 41
N translocation, 41
NaCl resistance, 213
Natural frosting, 369
Nickel, 561
Nicotiana tabacum (tobacco), 467
Nitrate, 133
Nitrate uptake, 41
Nitrogen content, 101
Nitrogen fixation, 723
Nitrogenase proteins and activity, 517
Non-structural carbohydrates, 335
Nuclear magnetic resonance imaging, 675
Nuclear migration, 689
Nutrient uptake, 621
Nutrients, 109, 201
Oidiodendron, 151
Oligofructan, 249
Open-top chambers, 361
Orchid, 143
Orchid protocorms, 701
Organic nitrogen, 763
Osmotic pressure, 183
Outer membrane lipopolysaccharides, 325
Overwinter survival, 745
Oxidation, 191
Ozone, 93, 361, 369
P uptake, 303
2D-PAGE, 711
Parasitism, 575
Partitioning, 81
Paxillus involutus, 123
PCR/ITS/RFLP, 313
Pea genotypes, 711
Pectin, 151
Phaeodactylum tricornutum, 163
Phaseolus vulgaris (bean), 93
Phillyrea, 227
Phosphate solubilization, 191
Phosphorus, 587
Photosynthetic capacity, 31
Phragmites australis, 527
Phytotoxins, 527
Pinus sylvestris (Scots pine), 501, 763
Plant growth, 491
Plant habitat use, 169
Plant strategy, 361
Plantago, 659
Plantago lanceolata, 429
Plasma membrane reductase, 659
Pod yield, 93
Pollen spectra, 547
Polyamines, 467
Polygalacturonase, 151
Polyphosphates, 587
Populus trichocarpa, 31
Potassium deficiency, 183
Principal component analysis, 375
Pseudomonas fluorescens, 325
Pteridium aquilinum, 201
Pyrolysis-gas chromatography/mass spectrometry, 375
Reaction zones, 675
Relative growth rate, 395
Reproductive strategy, 667
Respiration, 133
Rhizoctonia, 143
Rhizosphere, 191, 475
Rhodophyceae, 587
Root cell-wall responses, 325
Root competition, 67
Root cultures, 175
Root shrinkage, 21
Root signals, 755
Root system, 183, 621
Root water uptake, 21
Roots, 455
Root–shoot signalling, 613
Root–soil interface, 21
Rust fungi, 689
Salinity, 213, 227
Salt glands, 227
Salt stress, 419
Salt tolerance, 645
Sclerophylly, 603
Secondary metabolites, 175
Seed size, 169
Shading, 445
Shoot competition, 67
Signalling transducing chains, 1
Soil compaction, 613
Soil inoculum, 739
Soil moisture, 455
Solution culture, 561
Sour orange trees, 439
Specific leaf area, 395
Spores, 745
Stay-green, 41
Stellaria media (chickweed), 667
Stomatal conductance, 755
Stomatal conductance and CO_2 diffusion into the leaf, 31
Succession, 527
Sugar cane, 723
Sulphate, 175
Sulphur and heavy metal deposition, 501
Sulphur content, 101
Sulphur dioxide, 101, 595
Sulphur dioxide deposition, 101
'Sun' and 'shade' plants, 539
Survival, 773
Symbiosis-related polypeptides, 711
Symplast rehydration, 603
Tagetes, 175
Taxonomic relatedness, 169
Theobroma cacao (cacao), 445
Thiophenes, 175
Thlaspi caerulescens, 655
Tobacco mosaic virus, 467
Topology, 621

Trifolium repens, 645
Triticum aestivum cv. Tonic (spring wheat), 455
Turgor pressure, 183
Ultramafic (serpentine), 561
Unit leaf rate, 395
Uptake rate, 595
VA mycorrhiza, 291
Vacuole, 259
Vegetative growth, 429
Vesicle, 303
Vital stains, 773
Water, 675
Water stress, 613
Weed, 667
Western Mediterranean basin, 547
Wettability, 501
White clover, 67
X-ray microanalysis, 227, 587
Xylanase, 345
Xylaria, 143
Xylem loading, 419
Zinc, 655